



LILIACEAE

Disporum hookeri (Torr.) Nicholson
Diho

Hooker fairy-bell

FORM: Deciduous, branched, hairy, perennial forb, up to 1m (3ft) tall, arising from rhizomes.

STEMS: Branched, brownish to purplish, not green.

LEAVES: Alternate, simple, entire, ovate to ovate-elliptic, acuminate, 5-15cm (2-6in) long, prominently veined, hairy beneath, short ciliate with forward-pointing hairs on leaf margins (1) (hand lens helpful).

FLOWERS: 2-3 terminal creamy white, 3-merous bell-shaped flowers, 9-18mm long on a short, pendent peduncle, often concealed by the leaves; April-July.

FRUIT: 2-3 red berries, broadly oval, smooth to slightly hairy, pointed tip, 7-9mm long, 4-6 seeded, inedible.

SIMILAR SPECIES: Lily Conspectus, p.129.

NOTES: Fruits eaten by Blackfoot Indians but generally considered inedible.

	Syal h.t.		Ppoo	
	Phma h.t.			
	Caru	Caru	Psmc	
	Aruv	h.t.		
	+ Phma	Phma		
6	Smst	h.t.		
4	Phma	Phma		
6	Cooc	h.t.		
	Libo	Libo		
	Xete	h.t.		
7	Asca	Asca	Abgr	
2	Tabr			h.t.
2	Mefe			
1	Setr	h.t.		
7	Phma	Clun		
4	Clun			
	Tabr			h.t.
1	Mefe			
1	Xete			
	Vagl	Xete		
	Cooc	h.t.		
5	Clun	Clun	Thpl	
2	Tabr			h.t.
4	Mefe			
1	Xete			
7	Asca	Asca		
7	Tabr			h.t.
9	Mefe			
9	Gydr	n.t.		
7	Adpe	h.t.		
7	Adpe	Atfi		
8	Atfi	h.t.		
9	Opho	h.t.		
5	Clun	Clun	Tshe	
6	Arnu			h.t.
4	Mefe			
5	Xete			
8	Asca	Asca		
10	Arnu			h.t.
3	Mefe			
9	Gydr	h.t.		
1	Mefe	Clun	Tsmc	
1	Xete			h.t.
	Xete	Mefe		
	Luhi	h.t.		
	Mefe	Stam		
	Luhi	h.t.		
	Vagl	Xete		
	Luhi	h.t.		
	Clun	Clun	Ab1a	
1	Mefe			h.t.
2	Xete			
	Cooc			
	Xete	Mefe		
	Vasc	h.t.		
	Luhi			
2	Mefe	Stam		
1	Lica	h.t.		
2	Caca	Caca		
	Vaca		h.t.	
	Legl			
	Cooc			
	Vagl	Xete		
	Vasc	h.t.		
	Luhi			
	Vasc h.t.		Pico	
	Xete c.t.			
	Vaca c.t.			