


Pipo	Syal h.t.	
	Phma h.t.	
Psme	Caru h.t.	Caru
		Aruv
	Phma h.t.	Phma
		Smst +
Abgr	Phma h.t.	Phma
		Cooc
	Libo h.t.	Libo
		Xete
	Asca h.t.	Asca +
		Tabr +
	Mefe	
	Setr h.t.	1
Clun h.t.		Phma
		Clun +
		Tabr
		Mefe
		Xete +
Xete h.t.	Vagl	
	Cooc	
Thp	Clun h.t.	Clun +
		Tabr 2
		Mefe 1
		Xete
	Asca h.t.	Asca 1
		Tabr
		Mefe 3
	Gydr h.t.	3
	Adpe h.t.	4
	Atfi h.t.	Adpe 6
	Atfi 6	
Opho h.t.	8	
Tshe	Clun h.t.	Clun 1
		Arnu
		Mefe 2
		Xete 1
	Asca h.t.	Asca 1
	Arnu 1	
	Mefe	
Gydr h.t.	4	
Tsmc	Clun h.t.	Mefe 1
		Xete
	Mefe h.t.	Xete
		Luhi
	Stam h.t.	Mefe 5
	Luhi 2	
Xete h.t.	Vagl	
	Luhi	
Abia	Clun h.t.	Clun
		Mefe 3
		Xete
	Mefe h.t.	Cooc
		Xete
		Vasc
		Luhi
Stam h.t.	Mefe 5	
	Lica 4	
Caca h.t.	Caca 2	
	Vaca 1	
	Legl	
Xete h.t.	Cooc	
	Vagl	
	Vasc	
	Luhi	
Pico	Vasc h.t.	
	Xete c.t.	
	Vaca c.t.	



FORM: Slender, herbaceous, deciduous, rhizomatous perennial, mostly 6-12dm (2-4ft) tall.

STEMS: Erect, green, usually branched below middle stem.

LEAVES: Alternate, parallel-veined, glabrous, ovate, acuminate, mostly 5-12cm (2-5in) long, sessile with cordate clasping bases (1).

FLOWERS: Greenish-white, 3-merous, bell-shaped 9-15mm long; solitary or in pairs on twisted stalks beneath each leaf along upper part of stem; May-July.

FRUIT: Inedible, elongated, bright orange berry, slightly translucent, 10-12mm long.

SIMILAR SPECIES: Liliaceae Conspectus, p.129; and *Streptopus streptopoides* (small twisted-stalk), hairy at nodes, on Idaho State Watch List, found in Bonner and Boundary Counties.