



FORM: Perennial from short rhizome.

Symi: 1-6dm (4-24in) tall.

Sypl: 1-3dm (4-12in) tall.

LEAVES: Basal leaves, long-petiolate with cordate blade, palmately veined, persistent to 2nd season.

Symi: glabrous, deeply cordate, 2-8cm (1-3in) wide.

Sypl: pubescent, round cordate, bright green, 1-12cm (1-5in) wide; hairy upper surface, glabrous below, densely white hairy when young.

FLOWERS: Corollas subrotate, lobes longer than tube, 4-merous, borne in dense racemes.

Symi: bright bluish-purple, 4-7mm long; April-July.

Sypl: bluish-violet, petal lobes incised (1), 2-4mm long; June-July.

FRUIT: Symi: ovate capsule, 5-7mm high, as wide as high, shallowly notched (2).

Sypl: heart-shaped capsule (3), 3-5mm wide, nearly twice as wide as high.

SIMILAR SPECIES: *Viola orbiculata*, p.193; and *Heuchera* species, p.145.

NOTES: Sypl is an endemic of Idaho and Clearwater Counties associated with coastal disjunct species, it is presently on the Idaho State Watch List.

		Syal h.t.		
		Phma h.t.		
		Caru	Caru	
		Aruv	h.t.	
		Phma	Phma	
		Smst	h.t.	
		Phma	Phma	
		Cooc	h.t.	
		Libo	Libo	
		Xete	h.t.	
		Asca	Asca	
		Tabr	h.t.	
		Mefe	h.t.	
		Setr	h.t.	
		Phma		
		Clun	Clun	
		Tabr	h.t.	
		Mefe	h.t.	
		Xete		
		Vagl	Xete	
		Cooc	h.t.	
		Clun	Clun	
		Tabr	h.t.	
		Mefe		
		Xete		
		Asca	Asca	
		Tabr	h.t.	
		Mefe		
		Gydr	h.t.	
		Adpe	h.t.	
		Adpe	Atfi	
		Atfi	h.t.	
		Opho	h.t.	
		Clun	Clun	
		Arnu	h.t.	
		Mefe		
		Xete		
		Asca	Asca	
		Arnu	h.t.	
		Mefe		
		Gydr	h.t.	
		Mefe	Clun	
		Xete	h.t.	
		Xete	Mefe	
		Luhi	h.t.	
		Mefe	Stam	
		Luhi	h.t.	
		Vagl	Xete	
		Luhi	h.t.	
		Clun	Clun	
		Mefe	h.t.	
		Xete		
		Cooc	Mefe	
		Xete	h.t.	
		Vasc		
		Luhi	Stam	
		Mefe	h.t.	
		Lica		
		Caca	Caca	
		Vaca	h.t.	
		Legl		
		Cooc		
		Vagl	Xete	
		Vasc	h.t.	
		Luhi		
		Vasc	h.t.	
		Xete	c.t.	
		Vaca	c.t.	