

Pico	Syal h.t.		
	Phma h.t.		
Psmc	Caru h.t.	Caru	
		Aruv	
	Phma h.t.	Phma	
		Smst	
Abgr	Phma h.t.	Phma	
		Cooc	
	Libo h.t.	Libo	
		Xete	
	Asca h.t.	Asca	+
		Tabr	
		Mefe	
	Setr h.t.		
		Phma	+
		Clun	
Clun h.t.	Tabr	1	
	Mefe	1	
	Xete		
	Vagl		
Xete h.t.	Cooc		
Thpi	Clun h.t.	Clun	+
		Tabr	
		Mefe	
		Xete	
	Asca h.t.	Asca	+
		Tabr	
		Mefe	1
	Gydr h.t.		1
	Adpe h.t.		1
	Atfi h.t.	Adpe	1
	Atfi	1	
Opho h.t.		2	
Tshe	Clun h.t.	Clun	1
		Arnu	
		Mefe	
		Xete	
	Asca h.t.	Asca	1
	Arnu	1	
	Mefe		
Gydr h.t.			
Tsmc	Clun h.t.	Mefe	
		Xete	
	Mefe h.t.	Xete	
		Luhi	
	Stam h.t.	Mefe	
		Luhi	
Xete h.t.	Vagl		
	Luhi		
Abja	Clun h.t.	Clun	
		Mefe	
		Xete	
		Cooc	1
	Mefe h.t.	Xete	
		Vasc	
		Luhi	
	Stam h.t.	Mefe	
		Lica	1
	Caca h.t.	Caca	
	Vaca		
	Legl		
	Cooc		
Xete h.t.	Vagl		
	Vasc		
	Luhi		
Pico	Vasc h.t.		
	Xete c.t.		
	Vaca c.t.		



CORNACEAE

Cornus stolonifera var. *stolonifera* Michx.

Costs

red-osier dogwood

FORM: Many stemmed shrub, 2-6m (7-20ft) tall, usually spreading by layering stolons.

IDAHO CHAMPION: 1976. 4.1in dbh; 12.9in circum. + 26ft tall + 3.8ft crown= 43pts; Idaho, Co.

STEMS: Slender, bark turns dark red to purplish-red when growing in the sun; pith round and white.

BUDS: Opposite, one pair of bud scales.

LEAVES: Opposite, deciduous, simple, entire, ovate 4-12cm (2-5in) long, with unique 5-7 prominent upcurving and parallel veins (1), that converge at the tip of the leaf; this vein pattern is unique to native Rocky Mountain *Cornus* species.

FLOWERS: Small, white 2-4mm long, in flat-topped terminal cymes, not showy; May-July.

FRUIT: Small, bitter, white, berrylike drupe, 7-9mm long.

HABITAT: Riparian, and other warm, moist sites.