

Pipo	Syal h.t.		
	Phma h.t.		
Psme	Caru h.t.	Caru	
	Aruv		
	Phma h.t.	Phma	
	Smst		
Abgr	Phma h.t.	Phma	
	Cooc		
	Libo h.t.	Libo	
	Xete		
	Asca h.t.	Asca	
	Tabr		
	Mefe		
	Setr h.t.		
	Phma		
Clun h.t.	Clun		
	Tabr		
	Mefe		
	Xete		
Xete h.t.	Vagl		
	Cooc		
Thpl	Clun h.t.	Clun	
	Tabr		
	Mefe		
	Xete		
	Asca h.t.	Asca	
	Tabr		
	Mefe		
	Gydr h.t.		
Adpe h.t.			
Atfi h.t.	Atfi	+	
Opho h.t.		1	
Tshe	Clun h.t.	Clun	
	Arnu		
	Mefe		
	Xete		
Asca h.t.	Asca	+	
	Arnu		
	Mefe		
Gydr h.t.		+	
Tsmc	Clun h.t.	Mefe	+
	Xete		
	Mefe h.t.	Xete	1
	Luh		2
	Stam h.t.	Mefe	
Xete h.t.	Luh		
	Vagl		
	Luh		
Ab1a	Clun h.t.	Clun	
	Mefe		
	Xete		1
	Cooc		
	Mefe h.t.	Xete	3
	Vasc		1
	Luh		7
	Stam h.t.	Mefe	4
Lica			
Caca h.t.	Caca		
Vaca			
Legl			
Xete h.t.	Cooc		
Vagl			
Vasc			
Luh			
Pico	Vasc h.t.		
	Xete c.t.		
	Vaca c.t.		

R h a l



1



ERICACEAE  
*Rhododendron albiflorum* Hook.  
 Rhal

white rhododendron

**FORM:** Erect, nonodorous, medium shrub, 1-2m (3-7ft) tall.

**STEMS:** Erect, slender branched, with peeling bark; young stems covered with long, reddish-brown hairs.

**LEAVES:** Alternate but appearing whorled, deciduous, entire, elliptic, 4-9cm (2-4in) long, thin, yellowish-green covered with fine appressed coppery hairs on upper surface, main vein on underside covered by white hairs.

**FLOWERS:** White, shallowly bell-like, 10-20mm broad, in axillary clusters of 1-4 from lateral buds; May-July.

**FRUIT:** Persistent, short, heavy-walled, 5-celled capsule (1) with numerous small seeds.

**SIMILAR SPECIES:** *Ledum glandulosum*, p.47, odorous; and *Menziesia ferruginea*, p.50, sticky, odorous, bluegreen foliage.

**HABITAT:** High elevation forests north of the Middle Fork Clearwater River.

**NOTES:** All parts of plant poisonous if eaten.