


Pipo	Syal h.t.	
	Phma h.t.	
Psmc	Caru h.t.	Caru
		Aruv
	Phma h.t.	Phma
		Smst
Abgr	Phma h.t.	Phma
		Cooc
	Libo h.t.	Libo
		Xete
	Asca h.t.	Asca
		Tabr
		Mefe
	Setr h.t.	
		Phma
		Clun
Clun h.t.		Tabr
		Mefe
		Xete
		Xete 1
Xete h.t.	Vagl	
	Cooc	
Thp	Clun h.t.	Clun
		Tabr
		Mefe
		Xete
	Asca h.t.	Asca
		Tabr
		Mefe
	Gydr h.t.	
	Adpe h.t.	
	Atfi h.t.	Adpe
	Atfi 1	
Opho h.t.		
	3	
Tshe	Clun h.t.	Clun 2
		Arnu 1
		Mefe 1
		Xete 3
		Xete 3
Asca h.t.	Asca +	
	Arnu	
	Mefe	
Gydr h.t.		
	2	
Tsmc	Clun h.t.	Mefe
		Xete
	Mefe h.t.	Xete
		Luhi
	Stam h.t.	Mefe
		Luhi
Xete h.t.	Vagl	
	Luhi	
Ab)a	Clun h.t.	Clun
		Mefe
		Xete
		Cooc
	Mefe h.t.	Xete
		Vasc
		Luhi
	Stam h.t.	Mefe 1
		Lica
	Caca h.t.	Caca
	Vaca	
	Legl	
	Cooc	
Xete h.t.	Vagl	
	Vasc	
	Luhi	
Pico	Vasc h.t.	
	Xete c.t.	
	Vaca c.t.	



ROSACEAE
Rubus pedatus J.E. Smith
Rupe

strawberry bramble

FORM: Mat-forming, subshrub, <10cm (4in) tall.

STEMS: Herbaceous, <2cm long, strongly stoloniferous; bearing 1-3 leaves and a single flower peduncle.

LEAVES: Deciduous, 3-5 foliolate, with lateral leaflets deeply divided, doubly serrate, 1-3cm (1in) long.

FLOWERS: White, 5-merous, solitary on long, erect stalk; May-early July.

FRUIT: Edible, 3-6 red drupelets(1).

NOTES: Occurrence is generally restricted to north of Coeur d'Alene. Easily grown and makes nice ground cover in shady areas.